



Track almost any sample in the lab

B-7425/B-7425J laboratory label

The B-7425/B-7425J laboratory label is an excellent solution to track samples. It is designed to stay attached and remain legible in a wide range of sample collection, sample processing, microbiology and cryogenic applications.

An all-round laboratory label

- Stays attached in liquid nitrogen, freezers, hot water baths, autoclaves
- Remains legible when exposed to laboratory chemicals including DMSO, Xylene, IPA, ethanol
- Ideal to identify vials, tubes, slides, well plates and other specimen containers made out of glass, stainless steel or polypropylene
- Can be printed in the lab with Brady's portable printers and a selection of benchtop printing systems
- Specialized – Inkjet printable B-7425J label material is ideal for full-color laboratory identification on vials, centrifuge tubes and test tubes



Print on-site

The B-7425/B-7425J laboratory label can be printed by Brady in line with your specifications. The label can also be printed on-site in any laboratory with Brady printers including M210-LAB, M510, M511, M610, M611, M710, BBP12, BradyPrinter i3300, BradyPrinter i5100 and BradyPrinter i7100. For optimal performance, it should be printed with the R6400, R4300 or R6200 ink ribbons.

Inkjet-receptive label material is ideal for full-color laboratory identification on vials, centrifuge tubes and test tubes. Suitable BradyJet printers are J4000 and J7300. Ink cartridges are required to print on this material. Please choose the right cartridge by printer model.





Vial/tube labels

Brady's vial and test tube labels are designed to withstand extreme laboratory solvents like Xylene, Ethanol, Alcohol and DMSO, ensuring that the specimen identification is always legible - and will not smear, fade or fall off.




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
0.5 mL									
▲	J-152-7425J	B-7425J	F N A H	25.40	9.53	-	1000		J7300
◆	M5-118-7425	B-7425	F N A H	25.40	9.53	-	250	R4300	M511, BMP51
●	THT-152-7425-2	B-7425	F N A H	25.40	9.53	-	2000	R6400	BBP12, i7100, i5100
●	THT-152-7425-2-SC	B-7425	F N A H	25.40	9.53	-	2000	R6400	BBP12
▲	J-59-7425J	B-7425J	F N A H	25.40	12.70	-	1000		J7300
▲	THT-59-7425-2	B-7425	F N A H	25.40	12.70	-	2000	R6400	BBP12, i7100, i5100
▲	THT-59-7425-2-SC	B-7425	F N A H	25.40	12.70	-	2000	R6400	BBP12
1.5 mL									
●	J-88-7425J	B-7425J	F N A H	25.40	19.05	-	1000		J7300
●	THT-88-7425-2	B-7425	F N A H	25.40	19.05	-	2000	R6400	BBP12, i7100, i5100
●	THT-88-7425-2-SC	B-7425	F N A H	25.40	19.05	-	2000	R6400	BBP12
2.0 mL									
▲	THT-257-7425-2	B-7425	F N A H	20.96	6.35	-	2000	R6400	BBP12, i7100, i5100
▲	J-179-7425J	B-7425J	F N A H	25.40	25.40	-	1000		J7300
▲	THT-179-7425-2	B-7425	F N A H	25.40	25.40	-	2000	R6400	BBP12, i7100, i5100
▲	THT-179-7425-2-SC	B-7425	F N A H	25.40	25.40	-	2000	R6400	BBP12
▲	J-256-7425J	B-7425J	F N A H	33.02	15.24	-	1000		J7300
▲	THT-256-7425-2	B-7425	F N A H	33.02	15.24	-	2000	R6400	BBP12, i7100, i5100
4.0 mL									
●	J-37-7425J	B-7425J	F N A H	12.70	38.10	-	1000		J7300
●	THT-37-7425-2	B-7425	F N A H	38.10	12.70	-	2000	R6400	BBP12, i7100, i5100
▲	THT-136-7425-2	B-7425	F N A H	38.10	19.05	-	2000	R6400	BBP12, i7100, i5100
▲	THT-136-7425-2-SC	B-7425	F N A H	38.10	19.05	-	2000	R6400	BBP12
▲	J-235-7425J	B-7425J	F N A H	38.10	25.40	-	1000		J7300
▲	M5-31-7425	B-7425	F N A H	38.10	25.40	-	250	R4300	M511, BMP51
▲	THT-235-7425-2	B-7425	F N A H	38.10	25.40	-	2000	R6400	BBP12, i7100, i5100
▲	M6-121-7425	B-7425	F N A H	48.26	38.10	-	100	R4300, R6400	M610, M611
▲	THT-151-7425-2	B-7425	F N A H	50.80	6.35	-	2000	R6400	BBP12, i7100, i5100
8.0 mL									
▲	J-137-7425J	B-7425J	F N A H	50.80	25.40	-	1000		J7300
▲	THT-137-7425-2	B-7425	F N A H	50.80	25.40	-	2000	R6400	BBP12, i7100, i5100
▲	THT-137-7425-2-SC	B-7425	F N A H	50.80	25.40	-	2000	R6400	BBP12
15.0 mL									
▲	J-18-7425J	B-7425J	F N A H	76.20	25.40	-	1000		J7300

>>

Labels are shown per vial/tube size and in order of label width.

F Freezer environment	N Liquid nitrogen environment	A Autoclave environment	H Hot water bath (100°C)
------------------------------	--------------------------------------	--------------------------------	---------------------------------



Vial/tube labels (continued)




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
50.0 mL									
⊙	M21-375-7425*	B-7425	F N A H	9.53	–	6.40	1	R4300	M210, M210-LAB, M211
⊙	M21-500-7425*	B-7425	F N A H	12.70	–	6.40	1	R4300	M210, M210-LAB, M211
⊙	M21-750-7425*	B-7425	F N A H	19.05	–	6.40	1	R4300	M210, M210-LAB, M211
⊙	M4C-1000-7425*	B-7425	F N A H	25.40	–	7.62	1	R4300	M410, M510, M511
∞	JC-1125-7425J*	B-7425J	F N A H	28.58	–	45.72	1		J7300
⊙	M5C-1500-7425*	B-7425	F N A H	38.10	–	7.62	1	R4300	M510, M511
∞	JC-2250-7425J*	B-7425J	F N A H	57.15	–	45.72	1		J7300

*The continuous label material version can be cut to size by printer to fit vials in all sizes.



Vial top labels

Save time by using the Vial and Vial top combination labels - print your information in one go.




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
0.5 mL									
⊙	B33-249-7425	B-7425	F N A H	25.40	9.53	9.53	1500	B30-R4300	i3300
⊙	J-249-7425J	B-7425J	F N A H	25.40	9.53	–	1000		J7300
⊙	M6-98-7425	B-7425	F N A H	25.40	9.53	9.53	500	R4300, R6400	M610, M611
⊙	THT-249-7425-2-SC	B-7425	F N A H	25.40	9.53	9.53	2000	R6400	BBP12
⊙	B33-251-7425	B-7425	F N A H	25.40	12.70	11.18	1500	B30-R4300	i3300
⊙	J-251-7425J	B-7425J	F N A H	25.40	12.70	–	1000		J7300
⊙	THT-251-7425-2-SC	B-7425	F N A H	25.40	12.70	11.18	2000	R6400	BBP12

Labels are shown per vial/tube size and in order of label width.

F Freezer environment	N Liquid nitrogen environment	A Autoclave environment	H Hot water bath (100°C)
------------------------------	--------------------------------------	--------------------------------	---------------------------------



Centrifuge / Microcentrifuge Labels

Brady offers a wide range of Centrifuge and PCR Labels.




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
0.5 mL										
●	B33-152-7425	B-7425	F N A H	25.40	9.53	-	-	2000	B30-R4300	i3300
⊕	M5-118-7425	B-7425	F N A H	25.40	9.53	-	9.53	250	R4300	M511, BMP51
⊕	M6-98-7425	B-7425	F N A H	25.40	9.53	-	9.53	500	R4300, R6400	M610, M611
●	THT-152-7425-2	B-7425	F N A H	25.40	9.53	-	-	2000	R6400	BBP12, i7100, i5100
●	THT-152-7425-2-SC	B-7425	F N A H	25.40	9.53	-	-	2000	R6400	BBP12
▲	B33-59-7425	B-7425	F N A H	25.40	12.70	-	-	2000	B30-R4300	i3300
▲	THT-59-7425-2-SC	B-7425	F N A H	25.40	12.70	-	-	2000	R6400	BBP12
4.0 mL										
▲	M5-31-7425	B-7425	F N A H	38.10	25.40	-	-	250	R4300	M511, BMP51
▲	M6-31-7425	B-7425	F N A H	38.10	25.40	-	-	250	R4300, R6400	M610, M611
▲	M6-121-7425	B-7425	F N A H	48.26	38.10	-	-	100	R4300, R6400	M610, M611
50.0 mL										
⊙	M21-375-7425*	B-7425	F N A H	9.53	-	6.40	-	1	R4300	M210, M210-LAB, M211
⊙	M21-500-7425*	B-7425	F N A H	12.70	-	6.40	-	1	R4300	M210, M210-LAB, M211
⊙	M4C-1000-7425*	B-7425	F N A H	25.40	-	7.62	-	1	R4300	M410, M510, M511
∞	JC-1125-7425J*	B-7425J	F N A H	28.58	-	45.72	-	1		J7300
⊙	M5C-1500-7425*	B-7425	F N A H	38.10	-	7.62	-	1	R4300	M510, M511
∞	JC-2250-7425J*	B-7425J	F N A H	57.15	-	45.72	-	1		J7300

*The continuous label material version can be cut to size by printer to fit vials in all sizes.



Cryo tubes & vials labels

Brady offers a range of labels designed specifically to identify laboratory samples for cryo storage.




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
0.5 mL										
⊕	B33-249-7425	B-7425	F N A H	25.40	9.53	-	9.53	1500	B30-R4300	i3300
⊙	J-249-7425J	B-7425J	F N A H	25.40	9.53	-	-	1000		J7300
▲	J-152-7425J	B-7425J	F N A H	25.40	9.53	-	-	1000		J7300
⊕	M5-118-7425	B-7425	F N A H	25.40	9.53	-	9.53	250	R4300	M511, BMP51
⊕	M6-98-7425	B-7425	F N A H	25.40	9.53	-	9.53	500	R4300, R6400	M610, M611
⊕	THT-249-7425-2-SC	B-7425	F N A H	25.40	9.53	-	9.53	2000	R6400	BBP12
●	THT-152-7425-2	B-7425	F N A H	25.40	9.53	-	-	2000	R6400	BBP12, i7100, i5100
●	THT-152-7425-2-SC	B-7425	F N A H	25.40	9.53	-	-	2000	R6400	BBP12
⊕	B33-251-7425	B-7425	F N A H	25.40	12.70	-	11.18	1500	B30-R4300	i3300
⊙	J-251-7425J	B-7425J	F N A H	25.40	12.70	-	-	1000		J7300

>>

Labels are shown per vial/tube size and in order of label width.

F Freezer environment	N Liquid nitrogen environment	A Autoclave environment	H Hot water bath (100°C)
------------------------------	--------------------------------------	--------------------------------	---------------------------------



Cryo tubes & vials labels (continued)




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
▲	J-59-7425J	B-7425J	F N A H	25.40	12.70	–	–	1000		J7300
◆	THT-251-7425-2-SC	B-7425	F N A H	25.40	12.70	–	11.18	2000	R6400	BBP12
▲	THT-59-7425-2	B-7425	F N A H	25.40	12.70	–	–	2000	R6400	BBP12, i7100, i5100
▲	THT-59-7425-2-SC	B-7425	F N A H	25.40	12.70	–	–	2000	R6400	BBP12
1.5 mL										
●	J-88-7425J	B-7425J	F N A H	25.40	19.05	–	–	1000		J7300
●	THT-88-7425-2	B-7425	F N A H	25.40	19.05	–	–	2000	R6400	BBP12, i7100, i5100
●	THT-88-7425-2-SC	B-7425	F N A H	25.40	19.05	–	–	2000	R6400	BBP12
2.0 mL										
▲	THT-257-7425-2	B-7425	F N A H	20.96	6.35	–	–	2000	R6400	BBP12, i7100, i5100
▲	J-179-7425J	B-7425J	F N A H	25.40	25.40	–	–	1000		J7300
▲	THT-179-7425-2	B-7425	F N A H	25.40	25.40	–	–	2000	R6400	BBP12, i7100, i5100
▲	THT-179-7425-2-SC	B-7425	F N A H	25.40	25.40	–	–	2000	R6400	BBP12
▲	J-256-7425J	B-7425J	F N A H	33.02	15.24	–	–	1000		J7300
▲	THT-256-7425-2	B-7425	F N A H	33.02	15.24	–	–	2000	R6400	BBP12, i7100, i5100
4.0 mL										
●	J-37-7425J	B-7425J	F N A H	12.70	38.10	–	–	1000		J7300
●	THT-37-7425-2	B-7425	F N A H	38.10	12.70	–	–	2000	R6400	BBP12, i7100, i5100
▲	J-136-7425J	B-7425J	F N A H	38.10	19.05	–	–	1000		J7300
▲	THT-136-7425-2	B-7425	F N A H	38.10	19.05	–	–	2000	R6400	BBP12, i7100, i5100
▲	THT-136-7425-2-SC	B-7425	F N A H	38.10	19.05	–	–	2000	R6400	BBP12
▲	J-235-7425J	B-7425J	F N A H	38.10	25.40	–	–	1000		J7300
▲	M5-31-7425	B-7425	F N A H	38.10	25.40	–	–	250	R4300	M511, BMP51
▲	THT-235-7425-2	B-7425	F N A H	38.10	25.40	–	–	2000	R6400	BBP12, i7100, i5100
▲	J-258-7425J	B-7425J	F N A H	38.10	44.45	–	–	1000		J7300
▲	M6-121-7425	B-7425	F N A H	48.26	38.10	–	–	100	R4300, R6400	M610, M611
▲	THT-151-7425-2	B-7425	F N A H	50.80	6.35	–	–	2000	R6400	BBP12, i7100, i5100
8.0 mL										
▲	J-137-7425J	B-7425J	F N A H	50.80	25.40	–	–	1000		J7300
▲	THT-137-7425-2	B-7425	F N A H	50.80	25.40	–	–	2000	R6400	BBP12, i7100, i5100
▲	THT-137-7425-2-SC	B-7425	F N A H	50.80	25.40	–	–	2000	R6400	BBP12
15.0 mL										
▲	J-18-7425J	B-7425J	F N A H	76.20	25.40	–	–	1000		J7300
50.0 mL										
○	M21-375-7425*	B-7425	F N A H	9.53	–	6.40	–	1	R4300	M210, M210-LAB, M211
○	M21-500-7425*	B-7425	F N A H	12.70	–	6.40	–	1	R4300	M210, M210-LAB, M211
○	M21-750-7425*	B-7425	F N A H	19.05	–	6.40	–	1	R4300	M210, M210-LAB, M211
○	M4C-1000-7425*	B-7425	F N A H	25.40	–	7.62	–	1	R4300	M410, M510, M511
∞	JC-1125-7425J*	B-7425J	F N A H	28.58	–	45.72	–	1		J7300
○	M5C-1500-7425*	B-7425	F N A H	38.10	–	7.62	–	1	R4300	M510, M511
∞	JC-2250-7425J*	B-7425J	F N A H	57.15	–	45.72	–	1		J7300

*The continuous label material version can be cut to size by printer to fit vials in all sizes.

Labels are shown per vial/tube size and in order of label width.

F Freezer environment	N Liquid nitrogen environment	A Autoclave environment	H Hot water bath (100°C)
------------------------------	--------------------------------------	--------------------------------	---------------------------------



Conical / Large Tube Labels

Brady offers several sample identification labels which are perfect to identify conicals. They are easy to handle, have great flexibility and easily wrap around curved sample containers.




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Diameter C (mm)	Labels per Roll	Printer Ribbon Series	Printer Compatibility
0.5 mL										
❖	B33-249-7425	B-7425	F N A H	25.40	9.53	–	9.53	1500	B30-R4300	i3300
▲	J-152-7425J	B-7425J	F N A H	25.40	9.53	–	–	1000		J7300
❖	THT-249-7425-2-SC	B-7425	F N A H	25.40	9.53	–	9.53	2000	R6413	BBP12
●	THT-152-7425-2	B-7425	F N A H	25.40	9.53	–	–	2000	IP-R6400, R6400	BBP12, i7100, i5100
●	THT-152-7425-2-SC	B-7425	F N A H	25.40	9.53	–	–	2000	R6413	BBP12
❖	B33-251-7425	B-7425	F N A H	25.40	12.70	–	11.18	1500	B30-R4300	i3300
▲	B33-59-7425	B-7425	F N A H	25.40	12.70	–	–	2000	B30-R4300	i3300
⊙	J-251-7425J	B-7425J	F N A H	25.40	12.70	–	–	1000		J7300
❖	THT-251-7425-2-SC	B-7425	F N A H	25.40	12.70	–	11.18	2000	R6413	BBP12
▲	THT-59-7425-2	B-7425	F N A H	25.40	12.70	–	–	2000	IP-R6406, R6406	BBP12, i7100, i5100
▲	THT-59-7425-2-SC	B-7425	F N A H	25.40	12.70	–	–	2000	R6413	BBP12
1.5 mL										
●	B33-88-7425	B-7425	F N A H	25.40	19.05	–	–	2000	B30-R4300	i3300
●	THT-88-7425-2	B-7425	F N A H	25.40	19.05	–	–	2000	IP-R6400, R6400	BBP12, i7100, i5100
●	THT-88-7425-2-SC	B-7425	F N A H	25.40	19.05	–	–	2000	R6413	BBP12
2.0 mL										
▲	B33-179-7425	B-7425	F N A H	25.40	25.40	–	–	1500	B30-R4300	i3300
▲	THT-179-7425-2-SC	B-7425	F N A H	25.40	25.40	–	–	2000	R6413	BBP12
4.0 mL										
▲	B33-136-7425	B-7425	F N A H	38.10	19.05	–	–	1500	B30-R4300	i3300
▲	J-136-7425J	B-7425J	F N A H	38.10	19.05	–	–	1000		J7300
▲	THT-136-7425-2	B-7425	F N A H	38.10	19.05	–	–	2000	IP-R6400, R6400	BBP12, i7100, i5100
▲	THT-136-7425-2-SC	B-7425	F N A H	38.10	19.05	–	–	2000	R6413	BBP12
▲	B33-151-7425	B-7425	F N A H	50.80	6.35	–	–	2000	B30-R4300	i3300
▲	THT-151-7425-2	B-7425	F N A H	50.80	6.35	–	–	2000	IP-R6400, R6400	BBP12, i7100, i5100
8.0 mL										
▲	B33-137-7425	B-7425	F N A H	50.80	25.40	–	–	1500	B30-R4300	i3300
▲	J-137-7425J	B-7425J	F N A H	50.80	25.40	–	–	1000		J7300
▲	THT-137-7425-2-SC	B-7425	F N A H	50.80	25.40	–	–	2000	R6413	BBP12
50.0 mL										
⊙	M21-375-7425*	B-7425	F N A H	9.53	–	6.40	–	1		M210, M210-LAB, M211
⊙	M21-500-7425*	B-7425	F N A H	12.70	–	6.40	–	1		M210, M210-LAB, M211
⊙	M21-750-7425*	B-7425	F N A H	19.05	–	6.40	–	1		M210, M210-LAB, M211
⊙	M4C-1000-7425*	B-7425	F N A H	25.40	–	7.62	–	1		M410, M510, M511
∞	JC-1125-7425J*	B-7425J	F N A H	28.58	–	45.72	–	1		J7300
⊙	M5C-1500-7425*	B-7425	F N A H	38.10	–	7.62	–	1		M510, M511
∞	JC-2250-7425J*	B-7425J	F N A H	57.15	–	45.72	–	1		J7300

*The continuous label material version can be cut to size by printer to fit vials in all sizes.

Labels are shown per vial/tube size and in order of label width.

F Freezer environment	N Liquid nitrogen environment	A Autoclave environment	H Hot water bath (100°C)
------------------------------	--------------------------------------	--------------------------------	---------------------------------



Slide labels

Brady offers labels specifically designed to identify slides and to resist exposure to harsh chemicals during the slide staining process.





Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printer Ribbon Series	Printer Compatibility	Labels per Roll
○	M21-375-7425	B-7425	F N A H	9.53	–	6.40		M210, M210-LAB, M211	1
●	J-37-7425J	B-7425J	F N A H	12.70	38.10	–		J7300	1000
○	M21-500-7425	B-7425	F N A H	12.70	–	6.40		M210, M210-LAB, M211	1
○	M21-750-7425	B-7425	F N A H	19.05	–	6.40		M210, M210-LAB, M211	1
▲	B33-257-7425	B-7425	F N A H	20.96	6.35	–	B30-R4300	i3300	1500
▲	THT-257-7425-2	B-7425	F N A H	20.96	6.35	–	IP-R6406, R6406	BBP12, i7100, i5100	2000
▲	J-152-7425J	B-7425J	F N A H	25.40	9.53	–		J7300	1000
▲	J-59-7425J	B-7425J	F N A H	25.40	12.70	–		J7300	1000
●	J-88-7425J	B-7425J	F N A H	25.40	19.05	–		J7300	1000
▲	J-179-7425J	B-7425J	F N A H	25.40	25.40	–		J7300	1000
▲	B33-256-7425	B-7425	F N A H	33.02	15.24	–	B30-R4300	i3300	1500
▲	J-256-7425J	B-7425J	F N A H	33.02	15.24	–		J7300	1000
▲	THT-256-7425-2	B-7425	F N A H	33.02	15.24	–	IP-R6406, R6406	BBP12, i7100, i5100	2000
▲	J-136-7425J	B-7425J	F N A H	38.10	19.05	–		J7300	1000
▲	B33-235-7425	B-7425	F N A H	38.10	25.40	–	B30-R4300	i3300	1250
▲	M5-31-7425	B-7425	F N A H	38.10	25.40	–		M511, BMP51	250
▲	THT-235-7425-2	B-7425	F N A H	38.10	25.40	–	IP-R6400, R6400	BBP12, i7100, i5100	2000
▲	J-258-7425J	B-7425J	F N A H	38.10	44.45	–		J7300	1000
▲	J-137-7425J	B-7425J	F N A H	50.80	25.40	–		J7300	1000
▲	THT-137-7425-2	B-7425	F N A H	50.80	25.40	–	IP-R6400, R6400	BBP12, i7100, i5100	2000
▲	THT-137-7425-2-SC	B-7425	F N A H	50.80	25.40	–	R6413	BBP12	2000



Well plate labels

When total tracking of all sample collections is required then Brady has a solution for Well plate identification. Our well plate labels guarantee crystal clear text and barcoding for most lab environments.




Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printer Ribbon Series	Printer Compatibility	Labels per Roll
▲	M6-2-7425	B-7425	F N A H	6.35	50.80	–	M7-R6400, M61-R6410, M61-R4310, M7-R4300	M610, M611	100
○	M21-375-7425	B-7425	F N A H	9.53	–	6.40		M210, M210-LAB, M211	1
○	M21-500-7425	B-7425	F N A H	12.70	–	6.40		M210, M210-LAB, M211	1
○	M21-750-7425	B-7425	F N A H	19.05	–	6.40		M210, M210-LAB, M211	1
▲	B33-257-7425	B-7425	F N A H	20.96	6.35	–	B30-R4300	i3300	1500
▲	THT-257-7425-2	B-7425	F N A H	20.96	6.35	–	IP-R6406, R6406	BBP12, i7100, i5100	2000
○	M4C-1000-7425	B-7425	F N A H	25.40	–	7.62		M410, M510, M511	1
▲	B33-256-7425	B-7425	F N A H	33.02	15.24	–	B30-R4300	i3300	1500
▲	THT-256-7425-2	B-7425	F N A H	33.02	15.24	–	IP-R6406, R6406	BBP12, i7100, i5100	2000
●	B33-37-7425	B-7425	F N A H	38.10	12.70	–	B30-R4300	i3300	1500
●	THT-37-7425-2	B-7425	F N A H	38.10	12.70	–	IP-R6402, R6402	BBP12, i7100, i5100	2000
▲	B33-136-7425	B-7425	F N A H	38.10	19.05	–	B30-R4300	i3300	1500
▲	THT-136-7425-2	B-7425	F N A H	38.10	19.05	–	IP-R6400, R6400	BBP12, i7100, i5100	2000
▲	THT-136-7425-2-SC	B-7425	F N A H	38.10	19.05	–	R6413	BBP12	2000
▲	B33-235-7425	B-7425	F N A H	38.10	25.40	–	B30-R4300	i3300	1250
▲	M5-31-7425	B-7425	F N A H	38.10	25.40	–		M511, BMP51	250
▲	THT-235-7425-2	B-7425	F N A H	38.10	25.40	–	IP-R6400, R6400	BBP12, i7100, i5100	2000
○	M5C-1500-7425	B-7425	F N A H	38.10	–	7.62		M510, M511	1
▲	B33-151-7425	B-7425	F N A H	50.80	6.35	–	B30-R4300	i3300	2000
▲	THT-151-7425-2	B-7425	F N A H	50.80	6.35	–	IP-R6400, R6400	BBP12, i7100, i5100	2000
▲	B33-137-7425	B-7425	F N A H	50.80	25.40	–	B30-R4300	i3300	1500
▲	THT-137-7425-2-SC	B-7425	F N A H	50.80	25.40	–	R6413	BBP12	2000



Bottles/flasks & dishes labels

Brady's labels for bottles, flasks and dishes are easy to handle and flexible. This enables the labels to be placed on curved containers and remain attached and legible, even after being subjected to freezing, liquid nitrogen and heat.





Diagram	Order Reference	Material	Special Properties	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Printer Ribbon Series	Printer Compatibility	Labels per Roll
⊙	M4C-1000-7425	B-7425	F N A H	25.40	-	7.62		M410, M510, M511	1
▲	B33-136-7425	B-7425	F N A H	38.10	19.05	-	B30-R4300	i3300	1500
▲	THT-136-7425-2	B-7425	F N A H	38.10	19.05	-	IP-R6400, R6400	BBP12, i7100, i5100	2000
▲	THT-136-7425-2-SC	B-7425	F N A H	38.10	19.05	-	R6413	BBP12	2000
▲	M5-31-7425	B-7425	F N A H	38.10	25.40	-		M511, BMP51	250
⊙	M5C-1500-7425	B-7425	F N A H	38.10	-	7.62		M510, M511	1
▲	B33-151-7425	B-7425	F N A H	38.10	19.05	-	B30-R4300	i3300	2000
▲	THT-151-7425-2	B-7425	F N A H	38.10	19.05	-	IP-R6400, R6400	BBP12, i7100, i5100	2000
▲	J-53-7425J	B-7425J	F N A H	38.10	19.05	-		J7300	1000
▲	J40-260-7425J	B-7425J	F N A H	55.12	35.00	-		J4000	340
∞	J40C-2250-7425J	B-7425J	F N A H	74.93	109.98	30.48		J4000	1
▲	J-261-7425J	B-7425J	F N A H	74.93	109.98	-		J7300	300
▲	J-262-7425J	B-7425J	F N A H	104.90	154.94	-		J7300	250
▲	J40-262-7425J	B-7425J	F N A H	104.90	154.94	-		J4000	200

Omser (Scotland) Ltd
 incorporating Touch Print
 School Road, Gartocharn
 By Alexandria, G83 8RT
 T: 01389 830 408 F: 01389 830 349
 sales@omser.co.uk www.omser.co.uk



Sterilisation indicating label

Sterilisation indicating labels provide users with proof of sterilisation. They are ideal for a broad range of laboratory processes including sample tracking, inventory management, general tracking, and glassware or tray identification.




Diagram	Order Reference	Material	Label Width A (mm)	Label Height B (mm)	Printer Ribbon Series	Printer Compatibility	Labels per Roll
▲	B33-235-7425-AC	B-7425	38.10	25.40	B30-R4300	i3300	1250
▲	THT-235-7425-2-AC	B-7425	38.10	25.40	R4300	BBP12, i7100, i5100	2000
▲	B33-137-7425-AC	B-7425	50.80	25.40	B30-R4300	i3300	1500
▲	THT-137-7425-2-AC	B-7425	50.80	25.40	R4300	BBP12, i7100, i5100	2000

Omser (Scotland) Ltd
 incorporating Touch Print
 School Road, Gartocharn
 By Alexandria, G83 8RT
 T: 01389 830 408 F: 01389 830 349
 sales@omser.co.uk www.omser.co.uk



▶ Get product specifications

